

Date Prepared: 5/15/2014 Date Modified: 08/03/2018 Date Printed: 6/18/2025

1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

MATERIAL IDENTITY:

INFORMATION TELEPHONE:

NOVOC 600,6106,610 POLY (B)

swatkins@innovationsam.com

COMPANY:

Innovations Amplified 2627 N Emerson Avenue Indianapolis, IN, USA 46218 **EMERGENCY TELEPHONE:**

CHEMTREC: 800-424-9300

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

OSHA HAZARDOUS

Eye Irritant, Skin Sensitizer

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

Health		Environmen	tal	Physical
Acute Toxicity	Category 4	Acute Aquatic Hazard	Category 3	Not Classified
Eye Irritation	Category 2A			
Skin Sensitizer	Category 1			

Pictogram:



Signal Word

	Hazard Statements	Precautionary Statements
H315	May be harmful if swallowed	P261 Avoid breathing dust/fume/gas/mist/vapours/ spray.
H315	Causes skin irritation	P264 Wash thoroughly after handling.
H319	Causes serious eye irritation	P280 Wear protective gloves/eye protection/face
		protection.
		P302+P352 IF ON SKIN: Wash with plenty of soap and

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER or doctor/physician if you

feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.
P403 + P233 Store in a well-ventilated place. Keep

container tightly closed.
P501 Dispose of containers in accordance with local/regional/national/international requirements.

3. COMPOSITION/INFORMATION ON INGREDIENTS



Date Prepared: 5/15/2014 Date Modified: 08/03/2018 Date Printed: 6/18/2025

Ingredient(s)	CAS Number	% (by weight)
Polyether Polyol	25791-96-2	55 - 85 %
Poly propylene glycol	25322-69-4	1-10%
Butadiene-Acrylic Copolymer	Proprietary	1-7%
Ethylenediamine, ethoxylated and propoxylated	26316-40-5	1-7%
2,6 Bis(1,1Dimethyl)-4-(1-Methylpropyl)Phenol	17540-75-9	0.1-1%

4. FIRST AID MEASURES

Eyes Contact: Immediately flush eyes gently with large amounts of water for at least 10-20 minutes. Retract eyelids often. Get prompt medical attention. Symptoms of exposure may include pain or burning sensation, redness, swelling, tearing/discharge or blurred vision.

Skin Contact: Thoroughly wash the exposed area with mild soap and water. Remove contaminated clothing and launder contaminated clothing before re-use. Seek medical attention if exposure symptoms develop.

Symptoms may include irritation with reddening and itching. Repeated exposure may cause allergic skin reaction and sensitization of susceptible persons.

Ingestion: If large quantity is swallowed, give lukewarm water (2 cups) if victim is completely conscious/alert. Do not induce vomiting as risk of damage to lungs exceeds poisoning risk. Obtain emergency medical attention.

Inhalation: Inhalation is unlikely due to low vapor pressure. If misted or handled at elevated temperatures, high concentrations may cause respiratory tract irritation. If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention. Prompt action is essential.

Advise to physicians: If exposed, treat skin and eye burns or irritation conventionally after decontamination. This material or its emissions may induce an allergic or sensitization reaction and thereby aggravate systemic disease.

5. FIRE FIGHTING MEASURES

Conditions of Flammability

At higher temperatures vapors can cause pressure build up in sealed containers. Use water to cool containers exposed to fire.

Suitable extinguishing media

Dry Chemical, CO2, Foam, Water spray/water fog for cooling.

Hazardous Decomposition Products

Fire and thermal decomposition can produce carbon oxides, nitrogen oxides (NOx) amines and other aliphatic fragments which have not been determined. Ammonia may be liberated at high temperatures.

Fire Fighting Instructions

Do not enter fire area without proper protection. Wear self contained breathing apparatus (pressure-demand MSHA/NIOSH) approved or equivalent. See Section 10 - decomposition products possible. Fight fire from safe distance/protected location. Heat/impurities may increase temperature/build pressure/rupture closed containers, spreading fire, increasing risk of burns/injuries. Use water spray/fog for cooling. Notify authorities if liquid enters sewer/public waters.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear



Date Prepared: 5/15/2014 Date Modified: 08/03/2018 Date Printed: 6/18/2025

appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).

Environmental Precautions

Avoid dispersal of spill material and runoff and contact with soil, waterways, drains and sewers. Notify authorities of any releases to sewers, soils, waterways or air.

Methods and Materials for Containment and Cleaning Up

Extinguish all ignition sources and ventilate area. Wear protective equipment during clean up. Cover spills and soak up small spill with inert solids (such as vermiculite, clay) and sweep/shovel into vented disposal container. Wash spill area with a strong detergent and water solution; rinse with water but minimize water use during clean up. For spills on water, contain, minimize dispersion and collect. Dispose/report per regulatory requirements. Evacuate and keep unnecessary people out of the spill area. See Section 1 for emergency contact information and Section 13 for waste disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.

Conditions for Safe Storage

Keep container closed when not in use. Store in a dry place away from excessive heat. The material can be stored safely at ambient temperatures. Minimum storage temperature 32 F (0 C) Maximum storage temperature 104 F (40 C). Material is hygroscopic and may absorb small amounts of atmospheric moisture.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS (CONTAINS NO SUBSTANCES WITH WORKPLACE CONTROL PARAMETERS)

HAZARDOUS COMPONENT	PEL	STEL	TLV	Other
Polyether Polyol	NE	NE	NE	NE
Poly propylene glycol	NE	NE	NE	NE
Butadiene-Acrylic Copolymer	NE	NE	NE	NE
Ethylenediamine, ethoxylated and propoxylated	NE	NE	NE	NE
2,6 Bis(1,1Dimethyl)-4-(1-Methylpropyl)Phenol	NE	NE	NE	NE

Engineering Controls

Use local exhaust ventilation to maintain airborne concentrations below exposure limits. Respiratory protection may be required in addition to general room ventilation.

Respiratory Protections

No respiratory protection is recommended for working with this material. However if conditions such as in a spray application create a high vapor or mist concentration, use of a NIOSH/MSHA organic vapor/particulate approved respirator or supplied air is recommended.

Eve Protection

Eye protection such as chemical splash goggles and/or face shield must be worn when possibility exists for eye contact due to splashing or spraying liquid, airborne particles or vapor. Contact lenses should not be worn.

Skin and Body Protection

When skin contact is possible, protective clothing including gloves, apron, sleeves, boots, head and face protection should be worn. Gloves should be impervious neoprene, rubber or latex. Clean equipment thoroughly after each use.



Date Printed: 6/18/2025 Date Prepared: 5/15/2014 Date Modified: 08/03/2018

Other hygienic practices

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

OTHER WORK PRACTICES

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet facilities. Promptly remove soiled clothing and wash thoroughly before reuse. Shower after work using plenty of soap and water.

PHYSICAL AND CHEMICAL PROPERTIES 9.

Appearance

Form Viscous Liquid Color Clear to light straw Not available рΗ Melting/Freezing Temperature Not available

Boiling Point 185C/365F @ 1.0133mbar)

Flash Point >110 C Ignition Temperature Not available Autoignition Temperature N/AP

Lower explosive limit; na Upper explosive limit: na

Not Available Vapor Pressure Vapor Density (air=1) Not Available Specific Gravity (water=1 @39.2F) 1.04 at 25 C/77F

Evaporation Rate (Bac=1) None

Odor Mild amine odor Odor threshold Not available

10. STABILITY AND REACTIVITY

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

Conditions to Avoid

Avoid extreme heat.

Materials to Avoid

Avoid contact with oxidizing agents.

Hazardous Decomposition Products

Fire and thermal decomposition can produce carbon oxides, nitrogen oxides (NOx) amines and other aliphatic fragments which have not been determined. Ammonia may be liberated at high temperatures.

TOXICOLOGY INFORMATION 11.

Toxicity Data Based on Polyether Polyol

Acute Toxicity

Oral LD50 Rat 933-1072 mg/kg Dermal LD50 > 2,000 mg/kgRat



Date Prepared: 5/15/2014 Date Modified: 08/03/2018 Date Printed: 6/18/2025

Skin Corrosion/Irritation

Skin Rabbit Non-Irritating

Serious Eye Damage/Eye Irritation

Eye Rabbit Non-irritating

Respiratory or Skin Sensitization

Dermal Guinea Pig Non-sensitizer

Reproductive toxicity

Reproductive Rat Negative

Toxicity Data Based on Ethylenediamine, ethoxylated and propoxylated

Acute Toxicity

Oral LD50 Rat > 2,000 mg/kg
Dermal LD50 Rabbit 1,000-2,000 mg/kg
Inhalation LC50 Rat No data available

Skin Corrosion/Irritation

Skin Rabbit Irritant

Serious Eye Damage/Eye Irritation

Eye Rabbit Irritant (May cause irreversible eye damage)

Respiratory or Skin Sensitization

Dermal Guinea Pig Sensitizer

Mutagenicity

Genetic Toxicity in Vitro:

Ames: negative (Salmonella typhimurium, Metabolic Activation: with/without)

Toxicity Data Based on Polypropylene Glycol

Acute Toxicity

Oral LD50 Rat 3750 mg/kg

Toxicity Data Based on Butadiene-Acrylic Copolymer, 2,6 Bis(1,1Dimethyl)-4-(1-Methylpropyl)Phenol

Acute Toxicity

No data available

Carcinogenicity

IARC: During normal processing, no component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: During normal processing, no component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.

NTP: During normal processing, no component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.



Date Prepared: 5/15/2014 Date Modified: 08/03/2018 Date Printed: 6/18/2025

12. ECOLOGICAL INFORMATION

Aquatic Ecotoxicity Polyether Polyol

Toxicity to fish LC50 Brachydanio rerio (Zebra fish) >1000 mg/l – 96 h Toxicity to aquatic invertebrates EC50 Daphnia magna (water flea) >100 mg/l – 48 h

Toxicity to algae EC50 Scenedemus subspicatus (Green Algae) .100 mg/l – 96 h

Toxicity to bacteria EC50 10,000 mg/l

Biodegradability

40% Not readily biodegradable. Aerobic exposure time 28 d

Bioaccumulative potential

No data available

Mobility in soil

No data available

13. DISPOSAL CONSIDERATIONS

Waste Disposal

When a decision is made to discard this material as supplied, it does not meet RCRA's characteristics definition of ignitability, corrosiveness, or reactivity and is not listed in 40CFR261.33. The toxicity characteristic (TC), has not been evaluated by the Toxicity Characteristic Leaching Procedure (TCLP).

14. TRANSPORTATION INFORMATION

DOT (US)

Not regulated by DOT

IMDG

Not regulated by IMDG

IATA

Not regulated by IATA

15. REGULATORY INFORMATION

TSCA INVENTORY STATUS

All components are listed or exempt

OSHA HAZARDS

Skin, Eye and Respiratory Irritant, Skin Sensitizer

	HMIS Classification	NFPA Rating
Health Hazard;	2	2
Flammability	1	1
Physical Hazards	0	0

SARA TITLE III: Section 311/312 Hazard Class

This product does not contain a chemical which is listed in Section 313 at or above the de minimus concentrations.

SARA TITLE III: Section 313 (40CFR370)

This product does not contain a chemical which is listed in Section 313 at or above the de minimus concentrations.



Date Prepared: 5/15/2014 Date Modified: 08/03/2018 Date Printed: 6/18/2025

CERCLA Information (40CFR302.4)

This material contains no hazardous or extremely hazardous substances at or above the de minimus concentrations as defined by CERCLA or SARA Title III, and release is therefore not reportable.

California Proposition 65 Information:

This product contains, or may contain the following Proposition 65 chemicals

Chemical Name	California Proposition 65
1-3 butadiene – 106-99-0	Carcinogen
	Developmental
	Female reproductive
	Male reproductive

16. OTHER INFORMATION

Some of the information presented and conclusions drawn herein are from sources other than direct test data on the product itself. The information in this SDS was obtained from sources, which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. This SDS has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200).